

**TRISKELE** Selective Herbicide  
2,4-D Sodium Salt 44% + Metribuzin 35%  
+ Pyrazosulfuron Ethyl 1.0 % WDG

2,4-D Sodium salt 44% + Metribuzin 35% + Pyrazosulfuron ethyl 1.0 % WDG is a selective post-emergence herbicide, used for the effective control of grasses, broad leaf weeds and sedges sugarcane.

**Chemical Composition:**

Component	Content (% w/w)
2,4-D Sodium salt a.i.	44.00
Metribuzin a.i.	35.00
Pyrazosulfuron ethyl a.i.	1.00
Styrene acrylic polymer	7.00
Blend of Sodium alkyl naphthalene sulfonate with anionic surfactant	2.50
Poly dimethyl siloxane	0.50
Gelolin	0.50
<b>Total</b>	<b>100.00</b>

**Recommendation For Use:**

Crop	Target Weeds	Dosage per ha			Waiting period from last spray to harvest (days)
		a.i. (g)	Formulation (g)	Dilution in water (l)	
Sugarcane	Echinochloa spp., Elusine indica (Indian millet), Borsigella spp., Digitaria spp., Ecdyonurum agrypnoides (Crown Grass), Ecdysa abla (false foxtail), Chenopodium album (Bathua), Phytolim minima (Little Goosefoot), Portulaca oleracea (Purslane), Panthenium hysterophorus (Congress grass), Cyperus spp.	1320	3000	500	249

**Weather Conditions:** Not to be used during unfavorable conditions.

**Soil & Water:** Light to heavy soil. Clean water to be used for spray.

**Crop stage for Application:** Vegetative stage

**Application Techniques:** Spray.

**Equipment Type:** Compression knapsack sprayer, compression knapsack sprayer.

**Nozzle Types:** Flat fan

**Dosages:** Refer to the above recommendation.

**Instructions for Mixing:** Measure out required quantity of the product and mix well with a small quantity of water. Add the remaining quantity of water as specified with thorough agitation for total coverage of crop with suitable sprayer.

**Re-entry Period:** 48 hrs.

**Pre-harvest Interval (Waiting period):** Refer to the above recommendation.

**Application Timings:** 2,4-D Sodium salt 44% + Metribuzin 35% + Pyrazosulfuron ethyl 1.0 % WDG should be sprayed uniformly at 25-30 days after planting of sugarcane or / and weeds etc.

**Frequency Including Maximum Number Of Sprays:** One.

**Stage during which pesticide should not be applied for on any Crop:** Refer to the above recommendation.

**Precaution take to avoid harm to the beneficial:** Do not use in those situations if there is possibility of harming bees and fish, livestock, wild birds and animals.

**Usage of pesticides in confined area:** Not allowed.

**Warning:** Dangerous to re-use empty containers.

**Cautionary statement :** 1. Not to be used for any purpose other than those subscribed on label and leaflets; 2. Destroy the container after use as directed on leaflet.

**Direction for safe disposal of use container :** 1. Packages or surplus materials and washings in a safe manner so as to prevent environmental or water pollution. 2. The used packages shall not be left out side to prevent their re-use. 3. The packages shall be broken and buried away from habitation.

**Signs and symptoms of poisoning:** May cause irritation in eye and skin irritation. Symptoms may include vomiting, diarrhea, nausea, headache, nervousness, weakness of muscle, spasticity of muscles of mouth and limb, hyperpyrexia in some cases, allergic manifestations, anxiety tremors, convulsions and respiratory distress.

**Storage:** 1. The packages containing the herbicide shall be stored in separate room or premises from the rooms or premises used for storing other article particularly articles of food or shall be kept in separate Almirah under lock and key, depending on the quantity and nature of the herbicide. 2. The rooms or premises meant for storing the herbicide shall be well built dry and well-ventilated and of sufficient dimensions.

**Treatment in case of poisoning:** No specific antidote is known. Treat symptomatically.

**First aid measure:** If ingested: If person is conscious and alert, rinse mouth with water and give 1 or 2 glass of water to drink. Never give anything by mouth to an unconscious person. Call the doctor. Do not induce vomiting until and unless desired by attending physician. If inhaled: Take the patient to fresh air and take care of body temperature. If patient is not breathing or breathing with difficulty, give artificial respiration preferably with mouth to mouth breathing. Consult a physician. In case of skin contact: Wash thoroughly the affected part of body with soap and plenty of water including hands and under fingernails. If pain, redness or irritation persists, consult a doctor. All the contaminated clothes should be segregated and thoroughly washed with soap and water separately before use. In case of eye contact: Rinse gently with plenty of water at least for 15 minutes. If pain, irritation, redness or photophobia persist. Consult eye specialist.

**Precautions by users:** Wash contaminated clothes and parts of the body after application. Wear full protective clothing during application. Avoid inhalation, do not smoke, drink, eat and chew anything during application.

**Manufactured by:** UPL Limited

Regd. Office: 3-11, G.I.D.C., Vapi-396 195, Gujarat.

**ट्रिस्केल**

चुमिंदा खरपतवारनाशक  
2,4-डी सोडियम सल्ट ४४% + मेट्रिब्यूज़िन ३५%  
+ प्याराजोसल्फुरोन इथिल १.० % WDG

2,4-D Sodium salt 44% + Metribuzin 35% + Pyrazosulfuron ethyl 1.0 % WDG is a selective post-emergence herbicide, used for the effective control of grasses, broad leaf weeds and sedges sugarcane.

**Chemical Composition:**

Component	Content (% w/w)
2,4-D Sodium salt a.i.	44.00
Metribuzin a.i.	35.00
Pyrazosulfuron ethyl a.i.	1.00
Styrene acrylic polymer	7.00
Blend of Sodium alkyl naphthalene sulfonate with anionic surfactant	2.50
Poly dimethyl siloxane	0.50
Gelolin	0.50
<b>Total</b>	<b>100.00</b>

**Recommendation For Use:**

Crop	Target Weeds	Dosage per ha			Waiting period from last spray to harvest (days)
		a.i. (g)	Formulation (g)	Dilution in water (l)	
Sugarcane	Echinochloa spp., Elusine indica (Indian millet), Borsigella spp., Digitaria spp., Ecdyonurum agrypnoides (Crown Grass), Ecdysa abla (false foxtail), Chenopodium album (Bathua), Phytolim minima (Little Goosefoot), Portulaca oleracea (Purslane), Panthenium hysterophorus (Congress grass), Cyperus spp.	1320	3000	500	249

**Weather Conditions:** Not to be used during unfavorable conditions.

**Soil & Water:** Light to heavy soil. Clean water to be used for spray.

**Crop stage for Application:** Vegetative stage

**Application Techniques:** Spray.

**Equipment Type:** Compression knapsack sprayer, compression knapsack sprayer.

**Nozzle Types:** Flat fan

**Dosages:** Refer to the above recommendation.

**Instructions for Mixing:** Measure out required quantity of the product and mix well with a small quantity of water. Add the remaining quantity of water as specified with thorough agitation for total coverage of crop with suitable sprayer.

**Re-entry Period:** 48 hrs.

**Pre-harvest Interval (Waiting period):** Refer to the above recommendation.

**Application Timings:** 2,4-D Sodium salt 44% + Metribuzin 35% + Pyrazosulfuron ethyl 1.0 % WDG should be sprayed uniformly at 25-30 days after planting of sugarcane or / and weeds etc.

**Frequency Including Maximum Number Of Sprays:** One.

**Stage during which pesticide should not be applied for on any Crop:** Refer to the above recommendation.

**Precaution take to avoid harm to the beneficial:** Do not use in those situations if there is possibility of harming bees and fish, livestock, wild birds and animals.

**Usage of pesticides in confined area:** Not allowed.

**Warning:** Dangerous to re-use empty containers.

**Cautionary statement :** 1. Not to be used for any purpose other than those subscribed on label and leaflets; 2. Destroy the container after use as directed on leaflet.

**Direction for safe disposal of use container :** 1. Packages or surplus materials and washings in a safe manner so as to prevent environmental or water pollution. 2. The used packages shall not be left out side to prevent their re-use. 3. The packages shall be broken and buried away from habitation.

**Signs and symptoms of poisoning:** May cause irritation in eye and skin irritation. Symptoms may include vomiting, diarrhea, nausea, headache, nervousness, weakness of muscle, spasticity of muscles of mouth and limb, hyperpyrexia in some cases, allergic manifestations, anxiety tremors, convulsions and respiratory distress.

**Storage:** 1. The packages containing the herbicide shall be stored in separate room or premises from the rooms or premises used for storing other article particularly articles of food or shall be kept in separate Almirah under lock and key, depending on the quantity and nature of the herbicide. 2. The rooms or premises meant for storing the herbicide shall be well built dry and well-ventilated and of sufficient dimensions.

**Treatment in case of poisoning:** No specific antidote is known. Treat symptomatically.

**First aid measure:** If ingested: If person is conscious and alert, rinse mouth with water and give 1 or 2 glass of water to drink. Never give anything by mouth to an unconscious person. Call the doctor. Do not induce vomiting until and unless desired by attending physician. If inhaled: Take the patient to fresh air and take care of body temperature. If patient is not breathing or breathing with difficulty, give artificial respiration preferably with mouth to mouth breathing. Consult a physician. In case of skin contact: Wash thoroughly the affected part of body with soap and plenty of water including hands and under fingernails. If pain, redness or irritation persists, consult a doctor. All the contaminated clothes should be segregated and thoroughly washed with soap and water separately before use. In case of eye contact: Rinse gently with plenty of water at least for 15 minutes. If pain, irritation, redness or photophobia persist. Consult eye specialist.

**Precautions by users:** Wash contaminated clothes and parts of the body after application. Wear full protective clothing during application. Avoid inhalation, do not smoke, drink, eat and chew anything during application.

**Manufactured by:** UPL Limited

Regd. Office: 3-11, G.I.D.C., Vapi-396 195, Gujarat.

**ट्रिस्केल**

चुमिंदा खरपतवारनाशक  
2,4-डी सोडियम सल्ट ४४% + मेट्रिब्यूज़िन ३५%  
+ प्याराजोसल्फुरोन इथिल १.० % WDG

2,4-D Sodium salt 44% + Metribuzin 35% + Pyrazosulfuron ethyl 1.0 % WDG is a selective post-emergence herbicide, used for the effective control of grasses, broad leaf weeds and sedges sugarcane.

**Chemical Composition:**

Component	Content (% w/w)
2,4-D Sodium salt a.i.	44.00
Metribuzin a.i.	35.00
Pyrazosulfuron ethyl a.i.	1.00
Styrene acrylic polymer	7.00
Blend of Sodium alkyl naphthalene sulfonate with anionic surfactant	2.50
Poly dimethyl siloxane	0.50
Gelolin	0.50
<b>Total</b>	<b>100.00</b>

**Recommendation For Use:**

Crop	Target Weeds	Dosage per ha			Waiting period from last spray to harvest (days)
		a.i. (g)	Formulation (g)	Dilution in water (l)	
Sugarcane	Echinochloa spp., Elusine indica (Indian millet), Borsigella spp., Digitaria spp., Ecdyonurum agrypnoides (Crown Grass), Ecdysa abla (false foxtail), Chenopodium album (Bathua), Phytolim minima (Little Goosefoot), Portulaca oleracea (Purslane), Panthenium hysterophorus (Congress grass), Cyperus spp.	1320	3000	500	249

**Weather Conditions:** Not to be used during unfavorable conditions.

**Soil & Water:** Light to heavy soil. Clean water to be used for spray.

**Crop stage for Application:** Vegetative stage

**Application Techniques:** Spray.

**Equipment Type:** Compression knapsack sprayer, compression knapsack sprayer.

**Nozzle Types:** Flat fan

**Dosages:** Refer to the above recommendation.

**Instructions for Mixing:** Measure out required quantity of the product and mix well with a small quantity of water. Add the remaining quantity of water as specified with thorough agitation for total coverage of crop with suitable sprayer.

**Re-entry Period:** 48 hrs.

**Pre-harvest Interval (Waiting period):** Refer to the above recommendation.

**Application Timings:** 2,4-D Sodium salt 44% + Metribuzin 35% + Pyrazosulfuron ethyl 1.0 % WDG should be sprayed uniformly at 25-30 days after planting of sugarcane or / and weeds etc.

**Frequency Including Maximum Number Of Sprays:** One.

**Stage during which pesticide should not be applied for on any Crop:** Refer to the above recommendation.

**Precaution take to avoid harm to the beneficial:** Do not use in those situations if there is possibility of harming bees and fish, livestock, wild birds and animals.

**Usage of pesticides in confined area:** Not allowed.

**Warning:** Dangerous to re-use empty containers.

**Cautionary statement :** 1. Not to be used for any purpose other than those subscribed on label and leaflets; 2. Destroy the container after use as directed on leaflet.

**Direction for safe disposal of use container :** 1. Packages or surplus materials and washings in a safe manner so as to prevent environmental or water pollution. 2. The used packages shall not be left out side to prevent their re-use. 3. The packages shall be broken and buried away from habitation.

**Signs and symptoms of poisoning:** May cause irritation in eye and skin irritation. Symptoms may include vomiting, diarrhea, nausea, headache, nervousness, weakness of muscle, spasticity of muscles of mouth and limb, hyperpyrexia in some cases, allergic manifestations, anxiety tremors, convulsions and respiratory distress.

**Storage:** 1. The packages containing the herbicide shall be stored in separate room or premises from the rooms or premises used for storing other article particularly articles of food or shall be kept in separate Almirah under lock and key, depending on the quantity and nature of the herbicide. 2. The rooms or premises meant for storing the herbicide shall be well built dry and well-ventilated and of sufficient dimensions.

**Treatment in case of poisoning:** 1. If person is conscious and alert, rinse mouth with water and give 1 or 2 glass of water to drink. Never give anything by mouth to an unconscious person. Call the doctor. Do not induce vomiting until and unless desired by attending physician. If inhaled: Take the patient to fresh air and take care of body temperature. If patient is not breathing or breathing with difficulty, give artificial respiration preferably with mouth to mouth breathing. Consult a physician. In case of skin contact: Wash thoroughly the affected part of body with soap and plenty of water including hands and under fingernails. If pain, redness or irritation persists, consult a doctor. All the contaminated clothes should be segregated and thoroughly washed with soap and water separately before use. In case of eye contact: Rinse gently with plenty of water at least for 15 minutes. If pain, irritation, redness or photophobia persist. Consult eye specialist.

**Precautions by users:** Wash contaminated clothes and parts of the body after application. Wear full protective clothing during application. Avoid inhalation, do not smoke, drink, eat and chew anything during application.

**Manufactured by:** UPL Limited

Regd. Office: 3-11, G.I.D.C., Vapi-396 195, Gujarat.

**ट्रिस्केल**

चुमिंदा खरपतवारनाशक  
2,4-डी सोडियम सोलेट ४४% + मेट्रिब्यूज़िन ३५%  
+ प्याराजोसल्फुरोन इथिल १.० % WDG

2,4-D Sodium salt 44% + Metribuzin 35% + Pyrazosulfuron ethyl 1.0 % WDG is a selective post-emergence herbicide, used for the effective control of grasses, broad leaf weeds and sedges sugarcane.

**Chemical Composition:**

Component	Content (% w/w)
</tbl

